(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Print date: 09/10/2002

Map symbol and soil name	Pct.   of  map  unit	or off-trail eros:		Hazard of erosic		   Suitability for roads   (natural surface)   	
				Rating class and   limiting features			
1UB: Baile	40	    Slight   Slope/erodibility	0.10	    Moderate   Slope/erodibility	0.44		1.00
Urban Land	35	  Not rated 	     	  Not rated 	     	  Not rated 	
2B: Beltsville		      Slight   Slope/erodibility		      Moderate   Slope/erodibility		      Moderately suited   Strength	0.50
Keyport	30	  Slight   Slope/erodibility	0.10	  Moderate   Slope/erodibility	0.44	  Moderately suited   Strength	0.50
2UB: Beltsville		    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
Urban Land	40	  Not rated 	 	  Not rated 	 	  Not rated 	
2UC: Beltsville	       40 		        0.29	    -  Severe   Slope/erodibility 			0.50
Urban Land	40	  Not rated 	   	  Not rated 	   	  Not rated 	   
3UB: Urban Land	       40	      Not rated 	         	      Not rated 	       	    Not rated 	
Beltsville		  Slight   Slope/erodibility		  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
Keyport	20	  Slight   Slope/erodibility	0.10	  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
4UB: Urban Land	80	    Not rated 	     	    Not rated 	     	    Not rated 	     
Beltsville	     5 			    Moderate   Slope/erodibility 		    Moderately suited   Strength 	0.50

Table FOR-2.--Forestland Management--Continued

1 -2	  Pct.   of  map  unit	İ		Hazard of erosic on roads and tra l		Suitability for roads   (natural surface) 	
	     			   Rating class and   limiting features 			Value
5E: Brandywine	1 100	    Severe   Slope/erodibility	0.75	    Severe   Slope/erodibility			1.00
6B: Chester	100	     Slight   Slope/erodibility	      0.08	  -  Moderate   Slope/erodibility	      0.44	    Moderately suited   Strength 	      0.50
6UB: Chester				  Moderate   Slope/erodibility		  Moderately suited   Strength	    0.50
Urban Land	25	  Not rated   	   	  Not rated   	     	  Not rated   	     
7UB: Christiana	     40			    Moderate   Slope/erodibility		    Moderately suited   Strength	      0.50
Urban Land	40	  Not rated 	   	  Not rated 	     	  Not rated 	   
7UC: Christiana	       50 			      Severe   Slope/erodibility 			      0.50  0.50
Urban Land	   40 	  Not rated 	 	  Not rated 	    -	  Not rated 	   
8UB: Urban Land	       80 	      Not rated 	       	      Not rated 	       	      Not rated 	         
Christiana	5			  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
9UB: Elkton	   40 			     Moderate   Slope/erodibility 			    1.00  0.50
Urban Land	   40 	  Not rated 	 	  Not rated 	 	  Not rated 	   
10: Fluvents	      100   	    -  Slight   Slope/erodibility   		      Moderate   Slope/erodibility   	        0.33	    -  Poorly suited   Flooding   Strength 	      1.00  0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct.   of  map  unit	or off-trail eros:		Hazard of erosic on roads and trade		Suitability for roads (natural surface)	
				   Rating class and   limiting features			
11B: Galestown				    Slight   Slope/erodibility		    Moderately suited   Sandiness	0.50
11UB: Galestown				    Slight   Slope/erodibility	      0.25	    Moderately suited   Sandiness	0.50
Urban Land	-   40	  Not rated 	   	  Not rated 	   	  Not rated 	
12A: Jackland	- 100	      Slight   Slope/erodibility 	      0.04	      Slight   Slope/erodibility 	      0.22		0.50
12B: Jackland				  Moderate   Slope/erodibility 		Slope	  0.50  0.50  0.50
12UB: Jackland	  -  45 	    Slight   Slope/erodibility 	      0.08	     Moderate   Slope/erodibility 	0.44		    0.50  0.50
Urban Land	-   40	  Not rated 	   	  Not rated 	   	  Not rated 	
13B: Joppa	- 100	      Slight   Slope/erodibility	        0.08	      Moderate   Slope/erodibility	        0.44	      Moderately suited   Strength	0.50
13C: Joppa				  Severe   Slope/erodibility 		  Moderately suited   Slope   Strength	    0.50  0.50
13E: Joppa	- 100  - 100	    Severe   Slope/erodibility 	      0.75	    Severe   Slope/erodibility 	1.00		1.00
13UB: Joppa	-   45 	    Slight   Slope/erodibility	      0.08	    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
Urban Land	-   40	  Not rated 	     	  Not rated 	     	  Not rated 	   
13UC: Joppa	-  45  -  45	      Moderate   Slope/erodibility   	0.24	      Severe   Slope/erodibility   		      Moderately suited   Slope   Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct.   of  map  unit	or off-trail eros:	Hazard of off-road or off-trail erosion		on ils	Suitability for roads (natural surface)	
		   Rating class and   limiting features		   Rating class and   limiting features		   Rating class and   limiting features 	Value
Urban Land	40	  Not rated 	     	  Not rated 	   	  Not rated 	
14UB: Urban Land	80	      Not rated   	       	      Not rated   	       	      Not rated   	
Joppa	  -   5 	  Slight   Slope/erodibility	    0.08	  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
15B: Keyport	  -   85	  Slight   Slope/erodibility		    Moderate   Slope/erodibility		  Moderately suited   Strength	0.50
15UB: Keyport		    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
Urban Land	1 40	  Not rated 	    -	  Not rated 	   	  Not rated 	   
16UB: Urban Land	80	    Not rated 	       	    Not rated 	       	    Not rated 	
Keyport	15			  Moderate   Slope/erodibility		  Moderately suited   Strength	0.50
17B: Legore		    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
17C: Legore	100			    Severe   Slope/erodibility 		  Noderately suited   Slope   Strength	0.50
17E: Legore	100	    Moderate   Slope/erodibility 	      0.59	    Severe   Slope/erodibility 	11.00	  -  Poorly suited   Slope   Strength	11.00
18B: Legore		    Slight   Slope/erodibility		    Moderate   Slope/erodibility	0.44	    Moderately suited   Strength	0.50
18C: Legore	100			  Severe   Slope/erodibility 			0.50

Table FOR-2.--Forestland Management--Continued

				Hazard of erosic on roads and trai		   Suitability for roads   (natural surface) 	
	   			   Rating class and   limiting features			
18E: Legore	100	  Severe   Slope/erodibility	0.65	    Severe   Slope/erodibility	1.00		11.00
18UB: Legore	1 40	    Slight   Slope/erodibility	0.08	    Moderate   Slope/erodibility	      0.44	    Moderately suited   Strength	0.50
Urban Land	40	  Not rated 	   	  Not rated 	 	  Not rated 	
18UC: Legore	       45   	      Moderate   Slope/erodibility 	        0.24	      Severe   Slope/erodibility 	      1.00		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Urban Land	35	  Not rated 	   	  Not rated 	     	  Not rated 	
18UE: Legore	       45 	      Moderate   Slope/erodibility		      Severe   Slope/erodibility	      1.00		11.00
Urban Land	35	  Not rated 	   	  Not rated 	   	  Not rated 	
19UB: Urban Land	       80 	      Not rated   	         	      Not rated   	         	      Not rated   	
Legore	   5 			  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
19UC: Urban Land	     80 	    Not rated 	     	    Not rated 	     	    Not rated 	
Legore	     5   			    Severe   Slope/erodibility 	      1.00	    Moderately suited   Slope   Strength	10.50
20B: Leonardtown	   80 	  Slight   Slope/erodibility		  Moderate   Slope/erodibility 	    0.44 	  Poorly suited   Wetness   Strength	11.00
20UB: Leonardtown	   40   	  Slight   Slope/erodibility   	0.10	  Noderate   Slope/erodibility   	0.44	  Poorly suited   Wetness   Strength 	11.00

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct.   of  map  unit	or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads   (natural surface) 	
		   Rating class and   limiting features		   Rating class and   limiting features		   Rating class and   limiting features	Value
Urban Land	40	  Not rated 		  Not rated 	 	  Not rated 	
1C: Manor	100			      Severe   Slope/erodibility			0.50
1E: Manor	100			    Severe   Slope/erodibility 			11.00
2UB: Manor	40			    Moderate   Slope/erodibility	      0.44	    Moderately suited   Strength	0.50
Urban Land	40	  Not rated 	   	  Not rated 	   	  Not rated 	
2UC: Manor	    -  40 			    -  Severe   Slope/erodibility 		    -  Moderately suited   Slope   Strength	      0.50  0.50
Urban Land	40	  Not rated 	    -	  Not rated 	 	  Not rated 	   
3UB: Urban Land	    -  80 	    Not rated 	       	    Not rated 	       	    Not rated 	
Manor	i -  15 			  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
4UB: Matapeake	40			  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
Urban Land	40	İ	     	  Not rated 	   	  Not rated 	
5B: Mattapex	100	 	   	      Moderate   Slope/erodibility		      Moderately suited   Strength	0.50
5UB: Mattapex	  -   50	    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
Urban Land	-  30	  Not rated 	   	  Not rated	   	  Not rated 	

Table FOR-2.--Forestland Management--Continued

		or off-trail eros:	Hazard of off-road Hazard of erosion or off-trail erosion on roads and trails			   Suitability for r   (natural surfac   	
				   Rating class and   limiting features			
26B: Montalto	100		0.08	    Moderate   Slope/erodibility	0.44	    Moderately suited   Strength	0.50
26C: Montalto	100	     Moderate   Slope/erodibility 	      0.24	     Moderate   Slope/erodibility 			    0.50  0.50
26UB: Montalto	40	    Slight   Slope/erodibility	      0.08	    Moderate   Slope/erodibility	      0.44	    Moderately suited   Strength	0.50
Urban Land	40	  Not rated 	     	  Not rated 		  Not rated 	
26UC: Montalto	     45 			    Severe   Slope/erodibility 	1.00	    Moderately suited   Slope   Strength	10.50
Urban Land	40	  Not rated 	   	  Not rated 		  Not rated 	
27UB: Urban Land	       80	      Not rated 	       	      Not rated 		      Not rated 	
Montalto	10	  Slight   Slope/erodibility	    0.08	  Moderate   Slope/erodibility	0.44	  Moderately suited   Strength	0.50
28B: Relay				  Slight   Slope/erodibility		  Moderately suited   Strength	
28C: Relay	100	  Moderate   Slope/erodibility 	      0.24	  Moderate   Slope/erodibility 		  Moderately suited   Slope   Strength	0.50
28E: Relay	100	    Severe   Slope/erodibility 	      0.75	    Severe   Slope/erodibility 	1.00	  Poorly suited   Slope   Strength	11.00
28UB: Relay	40	    Slight   Slope/erodibility	0.08	    Moderate   Slope/erodibility		    Moderately suited   Strength	0.50
Urban Land	40	  Not rated 	   	  Not rated 	   	  Not rated 	   
	İ	i I	   	i I		 	İ

Table FOR-2.--Forestland Management--Continued

	  Pct.   of  map  unit	İ	Hazard of off-road Hazard of or off-trail erosion on roads a			   Suitability for r   (natural surfac   	
	     			   Rating class and   limiting features			
28UC: Relay	———     45 	    Moderate   Slope/erodibility	0.24	    Severe   Slope/erodibility	1.00	    Moderately suited   Slope   Strength	0.50
Urban Land	   35 	  Not rated 	   	  Not rated 	   	  Not rated 	
28UE: Relay	       45 			      Severe   Slope/erodibility 			11.00
Urban Land	   30 	  Not rated 	     	  Not rated 	     	  Not rated 	
29B: Sassafras	    100 			    Slight   Slope/erodibility		    Moderately suited   Strength	0.50
29C: Sassafras	    100 			    Moderate   Slope/erodibility 			0.50
29UB: Sassafras Urban Land	 	Slope/erodibility	0.08	  Slight   Slope/erodibility    Not rated	0.25 	  Moderately suited   Strength    Not rated	0.50
Urban Land	40     	     	     	    - 	     	    - 	
29UC: Sassafras	   40 			  Moderate   Slope/erodibility 		  Moderately suited   Slope   Strength	0.50
Urban Land	   40 	  Not rated 	     	  Not rated   	     	  Not rated   	
30B: Joppa	     40 	    Slight   Slope/erodibility		    Moderate   Slope/erodibility	      0.44	    Moderately suited   Strength	0.50
Sassafras	   40 	  Slight   Slope/erodibility	    0.08	  Slight   Slope/erodibility	    0.25	  Moderately suited   Strength	0.50
31UB: Urban Land	   80 	  Not rated 	 	  Not rated 	 	    Not rated 	
Sassafras	     5 	    Slight   Slope/erodibility 	      0.08	    Slight   Slope/erodibility 	      0.25 	    Moderately suited   Strength 	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name		   Hazard of off-roa   or off-trail eros:   		Hazard of erosion on roads and trails		Suitability for roads   (natural surface) 	
		   Rating class and   limiting features 		   Rating class and   limiting features 		   Rating class and   limiting features 	Value
32: Sulfaquepts	  - 100 	    Very severe   Horizon table   contains no data	      1.00	    Severe   Horizon table   contains no data	    1.00	  Poorly suited   Horizon table   contains no data	1 1.00
33B: Sunnyside	-  40  -	    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Well suited 	     
Christiana	-  35	  Slight   Slope/erodibility	0.10	  Moderate   Slope/erodibility	    0.44	  Moderately suited   Strength	0.50
33C: Sunnyside	40	  Moderate   Slope/erodibility	0.24	  Severe   Slope/erodibility	    1.00	  Moderately suited   Slope	0.50
Christiana	 -  35 			  Severe   Slope/erodibility 		  Moderately suited   Slope   Strength	    0.50  0.50
33UB: Urban Land	    -  80 	    Not rated 	     	    Not rated 	 	    Not rated 	     
Sunnyside	   -  5 	    Slight   Slope/erodibility		    Moderate   Slope/erodibility		    Well suited 	     
33UC: Sunnyside	40			    Severe   Slope/erodibility		    Moderately suited   Slope	0.50
Urban Land	-  40 	  Not rated 	     	  Not rated 	     	  Not rated 	   
34UB: Urban Land	  -   40	      Not rated	       	      Not rated 	       	    Not rated	       
Sunnyside	-  25			  Moderate   Slope/erodibility		  Well suited 	 
Christiana	-  20	  Slight   Slope/erodibility		  Moderate   Slope/erodibility		  Moderately suited   Strength	0.50
34UC: Urban Land	 -  40	    Not rated 	     	    Not rated 	     	    Not rated 	     
Christiana	20	     Moderate   Slope/erodibility	      0.29	    Severe   Slope/erodibility		    Moderately suited   Slope   Strength	      0.50  0.50
Sunnyside	  -  20 	  Moderate   Slope/erodibility	    0.24	  Severe   Slope/erodibility		  Moderately suited   Slope	0.50

Table FOR-2.--Forestland Management--Continued

				Hazard of erosic   on roads and trade		   Suitability for roads   (natural surface) 	
	     			Rating class and   limiting features			Value   
35B: Sunnyside	100	    Slight   Slope/erodibility	0.08	    Moderate   Slope/erodibility		    Well suited	       
35C: Sunnyside				  Severe   Slope/erodibility		  Moderately suited   Slope	      0.50
36UB: Sunnyside	40	  Slight   Slope/erodibility	      0.08	    Moderate   Slope/erodibility	      0.44	  Well suited 	     
Urban Land	40	  Not rated 	     	  Not rated 	   	  Not rated 	     
37: Sulfaquepts	100	      Very severe   Horizon table   contains no data	1.00	      Severe   Horizon table   contains no data	      1.00	  -  Poorly suited   Horizon table   contains no data	1.00
38C: Udorthents	100	  Slight   Slope/erodibility 	      0.16	  Moderate   Slope/erodibility 	      0.89 	  Moderately suited   Slope   Strength	      0.50  0.50
39B: Udorthents	100			  Moderate   Slope/erodibility			
39C: Udorthents	100	Horizon table   contains no data   Slope/erodibility	1.00    0.20	  Severe   Horizon table   contains no data   Slope/erodibility   Slope/erodibility	1.00    0.89	contains no data   Slope	1.00
39E: Udorthents	100			    Severe   Slope/erodibility 			    1.00  0.50
40B: Udorthents	100			  Moderate   Slope/erodibility		  Moderately suited   Strength	    0.50
40C: Udorthents	100	    Moderate   Slope/erodibility 		    Severe   Slope/erodibility 		    Moderately suited   Slope   Strength	      0.50  0.50
40E: Udorthents	100	    Severe   Slope/erodibility   	    0.75 	  Severe   Slope/erodibility   		  Poorly suited   Slope   Strength	    1.00  0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name		or off-trail eros:	Hazard of off-road   or off-trail erosion		on ils	   Suitability for roads   (natural surface)   	
				Rating class and   limiting features			
41E: Udorthents		    Moderate   Slope/erodibility 	0.59	    Severe   Slope/erodibility 	1 1.00		1.00
42: Udorthents	   80 	  Slight   Slope/erodibility	    0.04 	  Slight   Slope/erodibility 	    0.22 		0.50
Fluvents	15	  Slight   Slope/erodibility 	    0.05 	  Slight   Slope/erodibility 			11.00
42E: Udorthents	100	     Moderate   Slope/erodibility	      0.35	  Severe   Slope/erodibility	      1.00	    Poorly suited   Slope	1.00
43U: Urban Land	   65 	  Not rated 	     	  Not rated 	     	  Not rated 	
Udorthents	30	  Slight   Slope/erodibility	0.04	  Slight   Slope/erodibility	    0.12	  Moderately suited   Flooding	0.50
44UC: Urban Land	100	  Not rated 	     	  Not rated 	     	    Not rated 	
45UB: Urban Land	     40 	    Not rated	         	      Not rated 	         	      Not rated 	
Woodstown				  Moderate   Slope/erodibility		  Well suited 	     
46UB: Urban Land	80	  Not rated 	     	    Not rated 	     	    Not rated 	
Woodstown	   5     			  Noderate   Slope/erodibility   		  Well suited     	